

Weatherford Aero Modeling Society (WAMS) Newsletter

February, 2011

wamsrc.com

WAMS Monthly Meeting: February 1st, 6:30 PM at R&K Restaurant in Hudson Oaks

PRESIDENT'S CORNER

by Bert Spencer

Somehow another year has flown by and 2010 is no more. We ended the year with a great Christmas party, officers were elected for the current year, and the annual Chinese gift exchange added to the festivities. Hopefully, we're nearing the end of the really cold weather, and flying days will soon be here. Our major effort in the next six weeks will be to create another successful Swap Meet, and this will hinge on everyone doing whatever they can to help. Our club survives only through the efforts of volunteers, so let's all work together to make 2011 a great year for WAMS !!

In the meanwhile, remember the wise words of my Grandfather -- "Never invest in anything that eats, needs painting, or gets pregnant."

Happy flying, Bert

VICE PRESIDENT'S BULLETIN

by Mark Perkins

Check out these photos of WAMS in action.

<http://skyshaker.com/gallery/>

SECRETARY/TREASURER REPORT

by Sarge Bell

Treasurer's Report for the last two months!

Earned \$1.87 interest in Savings Acct.

Wrote checks for WAMS Christmas Party = \$326.99

Gary James, repair Start Up Stands = \$86.78

Al Warren to replace check he didn't deposit = \$30.93

Ikard Elementary c/o Tom Holman = \$50.00

Deposited checks for membership renewal = \$110

WAMS Swap Meet Table Reservations= \$ 575

To find out what WAMS balance is, come to our next WAMS Membership Meeting, Feb. 1st, 6 PM.

SAFETY FIRST

by Cliff Hummer

Academy of Model Aeronautics National Model Aircraft Safety Code

Effective January 1, 2011

A. **GENERAL:** A model aircraft is a non-human-carrying aircraft capable of sustained flight in the atmosphere. It may not exceed limitations of this code and is intended exclusively for sport, recreation and/or competition. All model flights must be conducted in accordance with this safety code and any additional rules specific to the flying site.

1. Model aircraft will not be flown:

- (a) In a careless or reckless manner.
- (b) At a location where model aircraft activities are prohibited.

2. Model aircraft pilots will:

- (a) Yield the right of way to all man carrying aircraft.
- (b) See and avoid all aircraft and a spotter must be used when appropriate. (AMA Document #540-D-See and Avoid Guidance.)
- (c) Not fly higher than approximately 400 feet above ground level within three (3) miles of an airport, without notifying the airport operator.
- (d) Not interfere with operations and traffic patterns at any airport, heliport or seaplane base except where there is a mixed use agreement.
- (e) Not exceed a takeoff weight, including fuel, of 55 pounds unless in compliance with the AMA Large Model Aircraft program. (AMA Document 520-A)
- (f) Ensure the aircraft is identified with the name and address or AMA number of the owner on the inside or affixed to the outside of the model aircraft.
(This does not apply to model aircraft flown indoors).
- (g) Not operate aircraft with metal-blade propellers or with gaseous boosts except for helicopters operated under the provisions of AMA Document #555.
- (h) Not operate model aircraft while under the influence of alcohol or while using any drug which could adversely affect the pilot's ability to safely control the model.
- (i) Not operate model aircraft carrying pyrotechnic devices which explode or burn, or any device which propels a projectile or drops any object that creates a hazard to persons or property.

Exceptions:

- ☐ Free Flight fuses or devices that burn producing smoke and are securely attached to the model aircraft during flight.
- ☐ Rocket motors (using solid propellant) up to a G-series size may be used provided they remain attached to the model during flight. Model rockets

may be flown in accordance with the National Model Rocketry Safety Code but may not be launched from model aircraft.

□ Officially designated AMA Air Show Teams (AST) are authorized to use devices and practices as defined within the Team AMA Program Document (AMA Document #718).

(j) Not operate a turbine-powered aircraft, unless in compliance with the AMA turbine regulations. (AMA Document #510-A).

3. Model aircraft will not be flown in AMA sanctioned events, air shows or model demonstrations unless:

(a) The aircraft, control system and pilot skills have successfully demonstrated all maneuvers intended or anticipated prior to the specific event.

(b) An inexperienced pilot is assisted by an experienced pilot.

4. When and where required by rule, helmets must be properly worn and fastened. They must be OSHA, DOT, ANSI, SNELL or NOCSAE approved or comply with comparable standards.

B. RADIO CONTROL (RC)

1. All pilots shall avoid flying directly over unprotected people, vessels, vehicles or structures and shall avoid endangerment of life and property of others.

2. A successful radio equipment ground-range check in accordance with manufacturer's recommendations will be completed before the first flight of a new or repaired model aircraft.

3. At all flying sites a safety line(s) must be established in front of which all flying takes place (AMA Document #706-Recommended Field Layout):

(a) Only personnel associated with flying the model aircraft are allowed at or in front of the safety line.

(b) At air shows or demonstrations, a straight safety line must be established.

(c) An area away from the safety line must be maintained for spectators.

(d) Intentional flying behind the safety line is prohibited.

4. RC model aircraft must use the radio-control frequencies currently allowed by the Federal Communications Commission (FCC). Only individuals properly licensed by the FCC are authorized to operate equipment on Amateur Band frequencies.

5. RC model aircraft will not operate within three (3) miles of any pre-existing flying site without a frequency-management agreement (AMA Documents #922-Testing for RF Interference; #923- Frequency Management Agreement)

6. With the exception of events flown under official AMA Competition Regulations, excluding takeoff and landing, no powered model may be flown outdoors closer than 25 feet to any individual, except for the pilot and the pilot's helper(s) located at the flight line.

7. Under no circumstances may a pilot or other person touch a model aircraft in flight while it is still under power, except to divert it from striking an individual.

This does not apply to model aircraft flown indoors.

8. RC night flying requires a lighting system providing the pilot with a clear view of the model's attitude and orientation at all times.

9. The pilot of a RC model aircraft shall:

(a) Maintain control during the entire flight, maintaining visual contact without enhancement other than by corrective lenses prescribed for the pilot.

(b) Fly using the assistance of a camera or First-Person View (FPV) only in accordance with the procedures outlined in AMA Document #550.

C. FREE FLIGHT

1. Must be at least 100 feet downwind of spectators and automobile parking when the model aircraft is launched.

2. Launch area must be clear of all individuals except mechanics, officials, and other fliers.

3. An effective device will be used to extinguish any fuse on the model aircraft after the fuse has completed its function.

D. CONTROL LINE

1. The complete control system (including the safety thong where applicable) must have an inspection and pull test prior to flying.
2. The pull test will be in accordance with the current Competition Regulations for the applicable model aircraft category.
3. Model aircraft not fitting a specific category shall use those pull-test requirements as indicated for Control Line Precision Aerobatics.
4. The flying area must be clear of all utility wires or poles and a model aircraft will not be flown closer than 50 feet to any above-ground electric utility lines.
5. The flying area must be clear of all nonessential participants and spectators before the engine is started.

FROM THE EDITOR

by Michael Leggett

Last month's meeting was Show and Tell night, which seemed to be a big hit. I personally enjoyed it very much and it even caused me to venture into another field of our RC hobby, helicopters.

Look forward to seeing everyone. Come early and enjoy a good meal.

Swap Meet is coming up!

See you at the field.....

Don't forget about the attendance drawing - the prize will be grand!

Michael Leggett

michael.leggett@me.com

4409 Sartain Rd., Mineral Wells, TX 76067

940.682.5450

wamsrc.com

WAMS EXECUTIVE COMMITTEE:

President: Bert Spencer: bertandcol@msn.com

Vice President: Mark Perkins: guitardaddyman@aol.com

Sec/Treas: Sarge: vernebbell2@netscape.net

Safety Officer: Cliff Hummer: cshummer@att.net

Web Master: Gary James: gsjames@earthlink.net

Contributor: Jim Pope: jimpope3@charter.net

Newsletter Editor: Michael Leggett: michael.g.leggett@gmail.com